



**Product Approval**  
USER: Public User

License efficiently. Regulate fairly.

[Product Approval Menu](#) > 
 [Product or Application Search](#) > 
 [Application List](#) > 
 **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL17810						
Application Type	New						
Code Version	2014						
Application Status	Approved						
Comments							
Archived	<input type="checkbox"/>						
Product Manufacturer	Petersen Aluminum Corporation						
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (800) 272-4482 dlandis@petersenmail.com						
Authorized Signature	Sal Delfino sdelfino@petersenmail.com						
Technical Representative	Sal Delfino						
Address/Phone/Email	102 Northpoint Parkway Building 106 Acworth, GA 30102 (954) 931-1392 sdelfino@petersenmail.com						
Quality Assurance Representative	Tom Creigh, VP						
Address/Phone/Email	Petersen Aluminum, Inc. 1005 Tonne Road Elk Grove, IL 60007 (800) 722-7150 tcreigh@petersenmail.com						
Category	Roofing						
Subcategory	Metal Roofing						
Compliance Method	Test Report						
Testing Lab	Architectural Testing, Inc. - West Palm Beach, FL						
Quality Assurance Entity	UL LLC						
Quality Assurance Contract Expiration Date	06/30/2018						
Validated By	Locke Bowden <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received						
Certificate of Independence	<a href="#">FL17810_R0_COI_ATI - COI - certificate of independence.pdf</a>						
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><u>Standard</u></th> <th><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>TAS-125</td> <td>2003</td> </tr> <tr> <td>UL-580</td> <td>2006</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	TAS-125	2003	UL-580	2006
<u>Standard</u>	<u>Year</u>						
TAS-125	2003						
UL-580	2006						
Equivalence of Product Standards Certified By							

Product Approval Method

Method 1 Option B

Date Submitted

06/18/2015

Date Validated

06/19/2015

Date Pending FBC Approval

06/28/2015

Date Approved

08/18/2015

### Summary of Products

FL #	Model, Number or Name	Description
17810.1	Edge-Loc 1.0 (.032" min.)	.032" Aluminum over 1/2" min. Plywood
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> +N/A/-52.5 <b>Other:</b> The use of a Class "A" fire barrier is not required outside the HVHZ unless otherwise specified in the building code. Design pressure includes a safety factor=2:0. Fasteners to be corrosion resistant. All materials and installation to be in compliance with FBC (2014) 5th Edition.		<b>Installation Instructions</b> <a href="#">FL17810_R0_II_ATI_e1977.01-450-18-r1_edge-loc_installation_drawings.pdf</a> Verified By: Architectural Testing, Inc. - West Palm Beach, FL <b>Test Reports</b> <a href="#">FL17810_R0_TR_ATI_e1977.01-450-18-r1_edge-loc_aluminum_test_report.pdf</a>

[Back](#)

[Next](#)

Contact Us :: [1940 North Monroe Street, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

#### Product Approval Accepts:

