

OUTSIDE COPING MITERS WITH ENDCAPS

LEFT HAND MITER W/ ENDCAP



RIGHT HAND MITER W/ ENDCAP



NOTES:

① WELDED ACCESSORIES REQUIRE A MINIMUM MATERIAL THICKNESS OF .050".

MATERIAL:

- ☐ 24 GA. GALVANIZED STEEL
- ☐ 22 GA. GALVANIZED STEEL
- ☐ .040" ALUMINUM
- ☐ .050" ALUMINUM
- ☐ .063" ALUMINUM
- ☐ OTHER _____

COLOR:_____

FINISH:_____

QUANTITIES:

_____ RIGHT HAND MITERS @ (_____°)

_____ LEFT HAND MITERS @ (_____°)

SPECIFY ACCESSORY TYPE:

- ☐ WELDED ①
- ☐ QUICKLOCK

AUTHORIZED SIGNATURE:

APPROVED BY: _____

DATE: _____

PROJECT:

ARCHITECT:

ROOFING CONTRACTOR:

REPRESENTATIVE/DISTRIBUTOR:

PAC-CLAD Petersen Aluminum

PHONE: 800-323-1960 FAX: 800-722-7150
WWW.PAC-CLAD.COM
E-MAIL: INFO@PAC-CLAD.COM

DATE: 03/06/14
DRN BY: JJC
CKD BY: SAK

SHT.#____ OF ____

DWG# 41011-12945 B