

OUTSIDE "T" COPING MITERS

FOR EXISTING SLOPE WALL CONDITIONS PLEASE CALL FOR CUSTOM PRINT

RIGHT OUTSIDE "T" MITER



LEFT OUTSIDE "T" MITER



FOR CUSTOM LEG LENGTHS MODIFY DRAWINGS ABOVE

NOTES:

① WELDED ACCESSORIES REQUIRE A MINIMUM MATERIAL THICKNESS OF .050".

MATERIAL:

- ☐ 24 GA. GALVANIZED STEEL
- ☐ 22 GA. GALVANIZED STEEL
- ☐ .040" ALUMINUM
- ☐ .050" ALUMINUM
- ☐ .063" ALUMINUM
- ☐ OTHER _____

COLOR:_____

FINISH:_____

QUANTITIES:

_____ RIGHT OUTSIDE "T" MITER

_____ LEFT OUTSIDE "T" MITER

SPECIFY ACCESSORY TYPE:

- ☐ WELDED ①
- ☐ QUICKLOCK

AUTHORIZED SIGNATURE:

APPROVED BY: _____

DATE: _____

PROJECT:

ARCHITECT:

ROOFING CONTRACTOR:

REPRESENTATIVE/DISTRIBUTOR:

PAC-CLAD Petersen Aluminum

PHONE: 800-323-1960 FAX: 800-722-7150
WWW.PAC-CLAD.COM
E-MAIL: INFO@PAC-CLAD.COM

DATE: 03/06/14
DRN BY: JJC
CKD BY: SAK

SHT.#____ OF ____

DWG# 41011-12589 B